

25X1

SECRET

25X1

25X1

German Democratic Republic

25X1

25X1

RAW-MATERIAL INPUT AND STEEL OUTPUT AT GDR STEEL PLANTS

25X1

25X1

25X1

more scrap is melted in the East

25X1

25X1

German blast furnaces for the production of pig iron [redacted]
[redacted] In the first quarter of 1952, the Maxhuetta plant was scheduled to use 1.5 tons of ore per ton of pig iron, and the EMM ("West" Metallurgical Combine) was to use 2.8 tons of ore per ton of pig iron. The ore smelted at Maxhuetta and EMM had an average Fe content of 33 percent and 25 percent, respectively. Especially noteworthy is the high coke consumption of 2.09 tons per ton of pig iron at EMM, which is twice the consumption of Maxhuetta. The consumption figures of the EKO ("East" Metallurgical Combine) cannot be used for comparison, as the EKO is still experiencing production difficulties.

25X1

SECRET

25X1

INTELLIGENCE 29

INFORMATION REPORT

CD NO.

COUNTRY East Germany 25X1

DATE DISTR. 25 November 1952

SUBJECT [REDACTED] Main Department for Metallurgy of the East German Ministry of Metallurgy and Ore Mining

NO. OF PAGES 1

25X1

PLACE ACQUIRED [REDACTED] 25X1
DATE OF INFO: [REDACTED] 25X1
ACQUIRED [REDACTED] 25X1

NO. OF ENCLS. 2 (LISTED BELOW)

SUPPLEMENT TO REPORT NO.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT 50 U. S. C. 31 AND 32 AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

25X1
25X1
25X1
25X1
25X1
25X1

25X1
25X1

[REDACTED] more scrap is melted in the East German blast furnaces for the production of pig iron [REDACTED]

[REDACTED] In the first quarter of 1952, the Maxhuetten was scheduled to use 1.5 tons of ore per ton of pig iron and the Eisenwerke West (EWW plant) was to use 2.8 tons of ore per ton of pig iron. The ore smelted in the Maxhuetten and in the EWW plant had an average Fe content of 33 percent and 25 percent. Especially noteworthy is the high coke consumption of 2.09 tons per ton of pig iron in the EWW plant which is twice the consumption of the Maxhuetten. The consumption figures of Eisenhuettenkombinat Ost (EKO) cannot be used for comparison as the EKO plant is still experiencing production difficulties.

THIS DOCUMENT HAS AN ENCLOSURE ATTACHED
DO NOT DETACH

Dec 18 10 51 AM '52
RR-C/C

EXPLOITED BY IR

25X1

CLASSIFICATION SECRET

| | | | | | | | | | |
|-------|------|------|--------------|---------------------|--|--|--|--|--|
| STATE | NAVY | NSRB | DISTRIBUTION | DEC 11 12 19 PM '52 | | | | | |
| ARMY | AIR | | ORR | x | | | | | |

Next 8 Page(s) In Document Exempt

25X1